




Worldwide Fitness Company



**FUNCTIONAL
POWER**





Worldwide Fitness Company



Worldwide Fitness Company

**60 ANNI DI STORIA
SEMPRE LA STESSA
ED UNICA PROPRIETÀ**

**6 DECADES OF HISTORY
THE SAME COMPANY
PROPERTY OVER
THE YEARS**

www.panattasport.com

DESIGN
& MADE
INITALY



Worldwide Fitness Company



Chi sceglie il **BRAND PANATTA** sposa una **STORIA**, una **TRADIZIONE**, un' **ECCELLENZA** biomeccanica e una qualità **SENZA PARAGONI**.

Whoever chooses the **PANATTA BRAND** embraces **HISTORY**, **TRADITION**, biomechanical **EXCELLENCE** and **INCOMPARABLE** quality.



Worldwide Fitness Company

FUNCTIONAL POWER



DFC INDOOR

6

CAGES	10
DFC RIGS/RACKS	20
DFC ACCESSORIES RACKS	26
DFC CUSTOM VERSIONS	28
ELEMENTS	30

DFC OUTDOOR

38

CAGES	42
ELEMENTS	64

POWERLIFTING

68

RACKS	70
BENCHES	71
PLATFORMS	73

FUNCTIONAL ACCESSORIES

74


FUNCTIONAL FLOOR

78

COLOURS

80

**DFC
INDOOR**



DFC INDOOR è la proposta PANATTA per l'allenamento funzionale da interno. Massima versatilità e personalizzazione.

DFC INDOOR is the PANATTA solution for functional indoor training. Utmost versatility and customization.

Fitness Addict
Fitness Chain
France

*DFC INDOOR est la proposition PANATTA pour l'entraînement fonctionnel intérieur. Polyvalence et personnalisation maximales.
DFC INDOOR es la propuesta PANATTA para el entrenamiento funcional de interior. Máxima versatilidad y personalización.
DFC INDOOR ist PANATTA'S Lösung für Indoor Funktionstraining höchste Vielseitigkeit und Personalisierung.*

**STRUTTURE FUNZIONALI
DI COSTRUZIONE PROPRIA
100% MADE IN ITALY,
ideali per ogni tipologia di spazio indoor.**

**FUNCTIONAL STRUCTURES
OF OWN CONSTRUCTION
100% MADE IN ITALY,
to cater every indoor space.**

STRUCTURES FONCTIONNELLES DE PROPRE PRODUCTION 100% MADE IN ITALY, idéales pour tout type d'espace intérieur.
ESTRUCTURAS FUNCIONALES DE CONSTRUCCIÓN PROPIA 100% MADE IN ITALY, ideales para cada tipo de espacio.
FUNKTIONS VARIANTEN AUS EIGENER PRODUKTION 100% MADE IN ITALY, Ideal für jeden Indoor Platz.

- Strutture solide e robuste. Costituite da sezioni portanti 80x80x3mm e 80x40x3mm. Lamiera di spessore 8 mm.
- Possibilità di creare DFC INDOOR custom e personalizzate
- Tutte le componenti aeree e tutte le traverse di esercizio sono verniciate color grafite per garantire il massimo grip dell'impugnatura.
- Gli elementi Panatta mobili sono caratterizzati da un innovativo sistema di fissaggio molto intuitivo che garantisce la massima stabilità durante l'esercizio.
- Gli elementi Panatta fissi possono essere avvitati in molteplici posizioni, per sfruttare al meglio lo spazio di esercizio disponibile.
- Tutte le strutture dovranno essere fissate al suolo o a parete da personale specializzato.

- Sturdy and strong structure composed by carrying elements of 80x80x3mm and 80x40x3mm. Metal sheets of 8 mm in thickness.
- Possibility to build-up your customized DFC INDOOR.
- All the air components and exercise crossbars are painted in graphite to ensure the most functional handle-grip.
- Panatta mobile elements have an innovative smart fixing system to ensure the best stability during the exercise.
- Panatta fixed elements can screw on several position to enjoy at the most the available training space.
- Only professional technicians can fix all the structure to the ground or to wall.

**7 Anni di garanzia sul telaio.
Years - warranty on frame.**

Garantie 7 ans sur les structures.
Garantía de 7 años en el chasis.
Rahmen mit 7 Jahre Garantie.

Gold's Gym
Fitness Chain
Egypt

- FR • Structure solide et robuste, composée d'éléments portants de section 80x80x3 mm et 80x40x3mm. Epaisseur platines 8 mm.
• Possibilité de créer des structures DFC INDOOR personnalisées.
• Tous les éléments en mouvement ainsi que les traverses sont réalisés en couleur graphite, car sa texture permet une meilleure prise au niveau des poignées.
• Les éléments mobiles Panatta sont caractérisés par un système de fixation innovant et très intuitif qui garantit une stabilité maximale pendant l'exercice.
• Possibilité d'avoir différentes configurations de la structure pour profiter au mieux de l'espace d'exercice disponible.
• Toutes les structures DFC INDOOR nécessitent une fixation au sol / au mur, effectuée par du personnel spécialisé.
- ES • Estructura sólida y robusta constituida por secciones portantes 80x80x3mm y 80x40x3mm. Chapa de espesor 8 mm
• Posibilidad de crear DFC INDOOR personalizado.
• Todos los componentes aéreos y todas las traviesas de trabajo están pintados en color grafito para garantizar el máximo agarre de la empuñadura.
• Los elementos Panatta móviles se caracterizan por un innovador sistema de fijación muy intuitivo que garantiza la máxima estabilidad durante el ejercicio.
• Los elementos Panatta móviles se caracterizan por un innovador sistema de fijación muy intuitivo que garantiza la máxima estabilidad durante el ejercicio.
• Los elementos Panatta fijos pueden atornillarse en múltiples posiciones, para aprovechar al máximo el espacio de ejercicio disponible.
• Todas las estructuras deberán ser fijadas al suelo o a la pared por personal especializado.
- DE • Solide und robuste Konstruktion aus 80x80x3mm und 80x40x3mm Tragprofilen. Blech mit 8 mm Dicke.
• Möglichkeit zur Erstellung von kundenspezifischen und personalisierten DFC INDOOR Bereichen.
• Alle Balken sind in Grafit lackiert, um maximale Griffigkeit zu gewährleisten.
• Die mobilen Panatta-Elemente zeichnen sich durch ein innovatives und sehr intuitives Befestigungssystem aus, das maximale Stabilität beim Training garantiert.
• Die festen Panatta-Elemente können in mehreren Positionen verschraubt werden, um den vorhandenen Platz auszunutzen.
• Alle Elemente müssen am Boden oder an der Wand vom Fachpersonal befestigt werden.

DFC INDOOR DFC 184 ELITE

1DFC001*



INCLUDED ELEMENTS

STRUCTURAL ELEMENTS

CODE	DESCRIPTION	Q.TY
1DFC1	CAGE BLOCK 184 ELITE Rack High: Rack Kettlebell Rack Low: Rack Kettlebell Rack Mid: Rack Kettlebell Crossbar Front: Straight Crossbar Rear: Rubbergrip	1
1DFC1	CAGE BLOCK 184 ELITE Rack High: Rack Ball Rack Low: Rack Ball Rack Mid: Rack Ball Crossbar Front: Triangular Crossbar Rear: Pullupball	1
4GRDFC34	LINK WITH HORIZONTAL SCALE	1
4GRDFC35	LINK WITH INCLINED SCALE	1

FIXED ELEMENTS

CODE	DESCRIPTION	Q.TY
4GRDFC29	POWER JOINT MODULE	1
4GRDFC30	INCLINED SCALE MODULE	1
4GRDFC31	PUNCHING BAG MODULE	1
4GRDFC38	BALL TARGET MODULE	1
4GRDFC42	CLIMBING ROPE MODULE	1
4GRDFC47	BAR STORAGE MODULE	1
4GRIS17	DISK HOLDER	16
7STDFC028V	BATTLE ROPE HOOK MODULE	1
7STDFC044V	LATERAL FAT BAR DFC 184 ELITE/136 EDGE	2

MOBILE ELEMENTS

CODE	DESCRIPTION	Q.TY
4GRDFC3	SQUAT LUNGE MODULE	1
4GRDFC4	STEP-UP BOARD MODULE	1
4GRDFC5	COMBO TWIST MODULE	1
4GRDFC6	JAMMER MODULE	1
4GRDFC7	ADJUSTABLE CROSSBAR MODULE	1
4GRDFC9	DIPS MODULE	1
4GRDFC10	SINGLE BARBELL HOOK	2
4GRDFC11	SINGLE SAFETY STOP	2

TECHNICAL DATA

DIMENSIONS

W	H	L	WT
420 cm	410 cm	790 cm	1100 kg

SURFACE	33 sqm
SUGGESTED WORKOUT SURFACE	60 sqm
N. OF USERS	12
DELIVERY	disassembled

* BARBELLS AND FUNCTIONAL ACCESSORIES NOT INCLUDED



DFC INDOOR DFC 184 RIG

1DFC003*

14

FUNCTIONAL POWER - DFC INDOOR



15

FUNCTIONAL POWER - DFC INDOOR



INCLUDED ELEMENTS

STRUCTURAL ELEMENTS

CODE	DESCRIPTION	Q.TY
1DFC3	CAGE BLOCK 184 RIG Crossbar Front: Straight Crossbar Rear: Pullupball Crossbar Mid: Double diameter	1
1DFC3	CAGE BLOCK 184 RIG Crossbar Front: Triangular Crossbar Rear: Rubbergrip Crossbar Mid: Multihandle	1
4GRDFC34	LINK WITH HORIZONTAL SCALE	1
4GRDFC35	LINK WITH INCLINED SCALE	1

FIXED ELEMENTS

CODE	DESCRIPTION	Q.TY
4GRDFC29	POWER JOINT MODULE	1
4GRDFC30	INCLINED SCALE MODULE	1
4GRDFC31	PUNCHING BAG MODULE	1
4GRDFC32	LATERAL FAT BAR - DFC 184 RIG	2
4GRDFC38	BALL TARGET	1
4GRDFC42	CLIMBING ROPE MODULE	1
4GRDFC47	BAR STORAGE MODULE	1
4GRIS17	DISK HOLDER	0
7STDFO28V	BATTLE ROPE HOOK MODULE	1

MOBILE ELEMENTS

CODE	DESCRIPTION	Q.TY
4GRDFC3	SQUAT LUNGE MODULE	1
4GRDFC4	STEP-UP BOARD MODULE	1
4GRDFC5	COMBO TWIST MODULE	1
4GRDFC6	JAMMER MODULE	1
4GRDFC7	ADJUSTABLE CROSSBAR MODULE	1
4GRDFC9	DIPS MODULE	1
4GRDFC10	SINGLE BARBELL HOOK	2
4GRDFC11	SINGLE SAFETY STOP	2

TECHNICAL DATA

DIMENSIONS

W	H	L	WT
420 cm	410 cm	800 cm	850 kg

SURFACE	34 sqm
SUGGESTED WORKOUT SURFACE	60 sqm
N. OF USERS	14
DELIVERY	disassembled

* BARBELLS AND FUNCTIONAL ACCESSORIES NOT INCLUDED



DFC INDOOR

DFC WALL MOUNTED

1DFC004*



INCLUDED ELEMENTS

STRUCTURAL ELEMENTS

CODE	DESCRIPTION	Q.TY
1DFC4	CAGE BLOCK WALL MOUNTED Crossbar Front: Pullupball Link: yes	1
1DFC4	CAGE BLOCK WALL MOUNTED Crossbar Front: Triangular Link: yes	1
1DFC4	CAGE BLOCK WALL MOUNTED Crossbar Front: Rubbergrip Link: no	1

FIXED ELEMENTS

CODE	DESCRIPTION	Q.TY
4GRDFC29	POWER JOINT MODULE	1
4GRDFC30	INCLINED SCALE MODULE	1
4GRDFC31	PUNCHING BAG MODULE	1
4GRDFC32	LATERAL FAT BAR	0
4GRDFC38	BALL TARGET MODULE	1
4GRDFC42	CLIMBING ROPE MODULE	1
4GRDFC47	BAR STORAGE MODULE	1
4GRIS17	DISK HOLDER	0
7STDFC028V	BATTLE ROPE HOOK MODULE	1

MOBILE ELEMENTS

CODE	DESCRIPTION	Q.TY
4GRDFC3	SQUAT LUNGE MODULE	1
4GRDFC4	STEP-UP BOARD MODULE	1
4GRDFC5	COMBO TWIST MODULE	1
4GRDFC6	JAMMER MODULE	1
4GRDFC7	ADJUSTABLE CROSSBAR MODULE	1
4GRDFC9	DIPS MODULE	1
4GRDFC11	SINGLE SAFETY STOP	2
4GRDFC10	SINGLE BARBELL HOOK	2

TECHNICAL DATA

DIMENSIONS

W	H	L	WT
250 cm	410 cm	900 cm	620 kg

SURFACE	22 sqm
SUGGESTED WORKOUT SURFACE	45 sqm
N. OF USERS	9
DELIVERY	disassembled

* BARBELLS AND FUNCTIONAL ACCESSORIES NOT INCLUDED





DFC RIGS/RACKS

DFC POWER RACK - LAT/PULLEY

1DFC5*



INCLUDED ELEMENTS

STRUCTURAL ELEMENTS

CODE	DESCRIPTION	Q.TY
4GRDFC16DX	RIGHT COLUMN WITH SHEET METAL	2
4GRDFC16SX	LEFT COLUMN WITH SHEET METAL	2
4GRDFC16	COLUMN WITHOUT SHEET METAL	2
4GRDFC49	DFC BASEMENT KIT	2
7STDFC017V	LOWER STRUCTURAL CROSSBAR L 720	2
7STDFC018V	LOWER STRUCTURAL CROSSBAR L 400	2
7STDFC019V	HIGHER STRUCTURAL CROSSBAR L 720	2
7STDFC020V	HIGHER STRUCTURAL CROSSBAR L 400	2
7STDFC021V	LINK CROSSBAR	2
7STDFC041V*	PULL-UP BALL CROSSBAR	1

FIXED ELEMENTS

CODE	DESCRIPTION	Q.TY
4GRDFC47	BAR STORAGE MODULE	1
4GRDFC50	KIT 3 HOOKS FOR ELASTIC BANDS	4
4GRDFC51	LAT MACHINE/PULLEY MODULE	1
4GRIS17	DISK HOLDER	8

MOBILE ELEMENTS

CODE	DESCRIPTION	Q.TY
4GRDFC10	SINGLE BARBELL HOOK	2
4GRDFC11	SINGLE SAFETY STOP	2

*VARIABLE ELEMENT TO BE CHOSEN BETWEEN 4GRDFC25, 7STDFC026V, 7STDFC027V, 7STDFC041V

TECHNICAL DATA

DIMENSIONS

W 255 cm H 240 cm L 255 cm WT 460 kg

STANDARD LOAD 100 kg

1:2 RATIO

MAX LOAD 400 kg

DELIVERY disassembled

* BARBELLS AND FUNCTIONAL ACCESSORIES NOT INCLUDED



DFC RIGS/RACKS

DFC POWER RACK - DUAL ADJUSTABLE PULLEY

1DFC6*



INCLUDED ELEMENTS

STRUCTURAL ELEMENTS

CODE	DESCRIPTION	Q.TY
4GRDFC16DX	RIGHT COLUMN WITH SHEET METAL	2
4GRDFC16SX	LEFT COLUMN WITH SHEET METAL	2
4GRDFC25*	COMPOUND CROSSBAR WITH SHEATS	1
4GRDFC49	DFC BASEMENT KIT	2
7STDFC017V	LOWER STRUCTURAL CROSSBAR L 720	2
7STDFC019V	HIGHER STRUCTURAL CROSSBAR L 720	2
7STDFC041V*	PULL-UP BALL CROSSBAR	1

FIXED ELEMENTS

CODE	DESCRIPTION	Q.TY
4GRDFC50	KIT 3 HOOKS FOR ELASTIC BANDS	4
4GRDFC52	DUAL MODULE DX	1
4GRDFC53	DUAL MODULE SX	1

MOBILE ELEMENTS

CODE	DESCRIPTION	Q.TY
4GRDFC10	SINGLE BARBELL HOOK	2
4GRDFC11	SINGLE SAFETY STOP	2

TECHNICAL DATA

DIMENSIONS

W 155 cm H 240 cm L 255 cm WT 460 kg

STANDARD LOAD	100 + 100 kg
1:4 RATIO	
MAX LOAD	400 kg
CABLE LENGTH	4 m
STANDARD ACCESSORIES	2 combo dual handgrips
DELIVERY	disassembled

* BARBELLS AND FUNCTIONAL ACCESSORIES NOT INCLUDED

DFC RIGS/RACKS

SQUAT RACK

1DFC7*



24

FUNCTIONAL POWER - DFC INDOOR



TECHNICAL DATA

DIMENSIONS

W 135 cm H 240 cm L 135 cm WT 130 kg

MAX LOAD 400 kg

DELIVERY disassembled

* BARBELLS AND FUNCTIONAL ACCESSORIES NOT INCLUDED



DFC DUAL ADJUSTABLE PULLEY

DFC DUAL ADJUSTABLE PULLEY

1DFC8



25

FUNCTIONAL POWER - DFC INDOOR



TECHNICAL DATA

DIMENSIONS

W 135 cm H 240 cm L 110 cm WT 440 kg

STANDARD LOAD 100 + 100 kg

1:4 RATIO

CABLE LENGTH 4 m

STANDARD ACCESSORIES 2 combo dual handgrips

DELIVERY disassembled



DFC ACCESSORIES RACKS

ACCESSORY RACK

1DFC9*



INCLUDED ELEMENTS

FIXED ELEMENTS

CODE	DESCRIPTION	Q.TY
4GRIS17	DISK HOLDER	4

STRUCTURAL

CODE	DESCRIPTION	Q.TY
4GRDFC55	ACCESSORY RACK COLUMN COUPLE	2
7STDFC024V*	RACK KETTLEBEL	1
7STDFC023V*	RACK BALL	1
7STDFC064V*	RACK DUMBBELLS	1

* FUNCTIONAL ACCESSORIES NOT INCLUDED

*VARIABLE ELEMENT TO BE CHOSEN BETWEEN 7STDFC023V, 7STDFC024V, 7STDFC063V, 7STDFC064V

WALL RACK

1DFC10*



TECHNICAL DATA

DIMENSIONS

W 100 cm	H 60 cm	L 30 cm	WT 20 kg
----------	---------	---------	----------

* BARBELLS AND FUNCTIONAL ACCESSORIES NOT INCLUDED

DFC BAR STORAGE

1DFC005*



TECHNICAL DATA

DIMENSIONS

W 60 cm	H 30 cm	L 60 cm	WT 50 kg
---------	---------	---------	----------

* BARBELLS NOT INCLUDED

CROSSFUNCTIONAL SLED

1DFC11*



TECHNICAL DATA

DIMENSIONS

W 80 cm	H 105 cm	L 80 cm	WT 75 kg
---------	----------	---------	----------

DELIVERY disassembled

* PLATES NOT INCLUDED

DFC INDOOR CUSTOM VERSIONS

BUILD UP YOUR PERSONAL FUNCTIONAL CAGE

Infinite possibilità di personalizzazione. Panatta dà l'opportunità di costruire una Dynamic Functional Cage personalizzata in funzione dello spazio a disposizione e del tipo di allenamento che il cliente vorrà fare.

Unlimited possibilities of customization. Panatta gives the possibility to build up a customized DFC based on the available space and the type of training according to the client's needs.

28

FUNCTIONAL POWER - DFC INDOOR

EXAMPLES OF DFC CUSTOM VERSIONS

The weight of the following custom DFC doesn't include the functional accessories and barbells.

CUSTOM BLOCKS

184 ELITE BLOCK CUSTOM



SURFACE 8 sqm WT 420 kg

136 EDGE BLOCK CUSTOM



SURFACE 5,5 sqm WT 355 kg

184 RIG BLOCK CUSTOM



SURFACE 6,5 sqm WT 280 kg

WALL MOUNTED BLOCK CUSTOM



SURFACE 3,5 sqm WT 120 kg

CUSTOM BLOCKS WITH ELEMENTS

STARTING CUSTOM BLOCK: 184 ELITE



SURFACE 18,5 sqm WT 690 kg

STARTING CUSTOM BLOCK: 184 RIG



SURFACE 10 sqm WT 480 kg

STARTING CUSTOM BLOCK:
136 EDGE



SURFACE 16 sqm WT 485 kg

STARTING CUSTOM BLOCK:
WALL MOUNTED



SURFACE 6,5 sqm WT 180 kg

LINKED CUSTOM BLOCKS WITH ELEMENTS

STARTING CUSTOM BLOCKS: N.3 184 RIG



SURFACE 30,5 sqm WT 1040 kg

STARTING CUSTOM BLOCKS: N.2 184 EDGE



SURFACE 12,5 sqm WT 680 kg

STARTING CUSTOM BLOCKS:
n.3 WALL MOUNTED



SURFACE 14 sqm WT 420 kg

STARTING CUSTOM BLOCKS:
n.1 184 ELITE AND n.1 184 RIG



SURFACE 23,5 sqm WT 790 kg

COMPLETELY CUSTOM

GROUND VERSION



SURFACE 29 sqm WT 1075 kg

WALL MOUNTED VERSION



SURFACE 15,5 sqm WT 280 kg

WALL MOUNTED VERSION WITH RACKS



SURFACE 8,5 sqm WT 470 kg

29

FUNCTIONAL POWER - DFC INDOOR



ELEMENTS - BLOCKS

CAGE BLOCK 184 ELITE

1DFC1



TECHNICAL DATA

DIMENSIONS

W 133,5 cm H 237 cm L 227 cm WT 345 kg

The dimensions change depend on the selected features.

CAGE BLOCK 184 RIG

1DFC3



TECHNICAL DATA

DIMENSIONS

W 133,5 cm H 237 cm L 201,5 cm WT 230 kg

The dimensions change depend on the selected features.

30

FUNCTIONAL POWER - DFC INDOOR



31

FUNCTIONAL POWER - DFC INDOOR



CAGE BLOCK 136 EDGE

1DFC2



TECHNICAL DATA

DIMENSIONS

W 133,5 cm H 237 cm L 148 cm WT 280 kg

The dimensions change depend on the selected features.

CAGE BLOCK WALL MOUNTED

1DFC4



TECHNICAL DATA

DIMENSIONS

W 133,5 cm H 237,5 cm L 119 cm WT 105 kg

The dimensions change depend on the selected features.

STRUCTURAL ELEMENTS

4GRDFC12
WALL FIXING KIT



DIMENSIONS
W 17 cm H 15 cm L 0,8 cm WT 2 kg

4GRDFC16
COLUMN WITHOUT SHEET METAL



DIMENSIONS
W 19 cm H 237 cm L 15,5 cm WT 20 kg

4GRDFC16DX
RIGHT COLUMN WITHOUT SHEET METAL



DIMENSIONS
W 19 cm H 237 cm L 15,5 cm WT 38 kg

7STDFC020V
HIGHER STRUCTURAL CROSSBAR L 400



DIMENSIONS
W 40 cm H 14 cm L 8 cm WT 3 kg

7STDFC021V
LINK CROSSBAR



DIMENSIONS
W 106,5 cm H 30 cm L 8 cm WT 10 kg

7STDFC023V
RACK BALL



DIMENSIONS
W 106,5 cm H 12 cm L 24 cm WT 8 kg

4GRDFC16SX
LEFT COLUMN WITHOUT SHEET METAL



DIMENSIONS
W 19 cm H 237 cm L 15,5 cm WT 38 kg

4GRDFC25
COMPOUND CROSSBAR WITH SHEATH



DIMENSIONS
W 106,5 cm H 30 cm L 43 cm WT 19 kg

4GRDFC34
LINK WITH HORIZONTAL SCALE



DIMENSIONS
W 301,6 cm H 21 cm L 68,5 cm WT 45 kg

7STDFC024V
RACK KETTLEBELL



DIMENSIONS
W 106,5 cm H 12 cm L 24 cm WT 12 kg

7STDFC026V
SINGLE CROSSBAR



DIMENSIONS
W 106,5 cm H 14 cm L 8 cm WT 4 kg

7STDFC027V
TRIANGULAR CROSSBAR



DIMENSIONS
W 106,5 cm H 40 cm L 36,5 cm WT 17 kg

4GRDFC35
LINK WITH INCLINED SCALE



DIMENSIONS
W 301,6 cm H 58 cm L 68,5 cm WT 46 kg

4GRDFC37
DOUBLE DIAMETER CROSSBAR



DIMENSIONS
W 110,5 cm H 8 cm L 27,5 cm WT 9 kg

4GRDFC40
MULTI-GRIP CROSSBAR



DIMENSIONS
W 110,5 cm H 12 cm L 27,5 cm WT 12 kg

7STDFC033V
HIGHER STRUCTURAL CROSSBAR L 1680



DIMENSIONS
W 168 cm H 14 cm L 8 cm WT 9 kg

7STDFC036V
LINK WITH LONG CROSSBAR L 2976



DIMENSIONS
W 297,6 cm H 29 cm L 8 cm WT 16 kg

7STDFC039V
LINK WITH SHORT CROSSBAR L 1716



DIMENSIONS
W 171,6 cm H 14 cm L 8 cm WT 5 kg

7STDFC017V
LOWER STRUCTURAL CROSSBAR L 720



DIMENSIONS
W 72 cm H 10 cm L 8 cm WT 4 kg

7STDFC018V
LOWER STRUCTURAL CROSSBAR L 400



DIMENSIONS
W 40 cm H 10 cm L 8 cm WT 3 kg

7STDFC019V
HIGHER STRUCTURAL CROSSBAR L 720



DIMENSIONS
W 72 cm H 14 cm L 8 cm WT 4 kg

7STDFC041V
PULL-UP BALL CROSSBAR



DIMENSIONS
W 106,5 cm H 14 cm L 39,5 cm WT 17 kg

7STDFC046V
LOWER STRUCTURAL CROSSBAR L 1680



DIMENSIONS
W 168 cm H 10 cm L 8 cm WT 9 kg

7STDFC047V
STRUCTURAL CROSSBAR FOR SCALE



DIMENSIONS
W 106,5 cm H 14 cm L 8 cm WT 6 kg

STRUCTURAL ELEMENTS

7STDFC061V
LOWER STRUCTURAL CROSSBAR



DIMENSIONS
W 106,4 cm H 19 cm L 4 cm WT 7 kg

7STDFC063V
RACK DISKS



DIMENSIONS
W 106,5 cm H 20 cm L 24 cm WT 9 kg

7STDFC064V
RACK DUMBBELLS



DIMENSIONS
W 106,5 cm H 21 cm L 24 cm WT 18 kg

4GRDFC49
DFC BASEMENT KIT



DIMENSIONS
W 19 cm H 13 cm L 6 cm WT 5 kg

4GRDFC55
ACCESSORY RACK COLUMN COUPLE



DIMENSIONS
W 8 cm H 120 cm L 30 cm WT 12 kg

MOBILE ELEMENTS

4GRDFC10
SINGLE BARBELL HOOK



DIMENSIONS
W 8 cm H 22 cm L 19 cm WT 2,5 kg

4GRDFC11
SINGLE SAFETY STOP



DIMENSIONS
W 8 cm H 25 cm L 61 cm WT 6,5 kg

4GRDFC3
SQUAT LUNGE MODULE



DIMENSIONS
W 140 cm H 70,5 cm L 132 cm WT 56 kg

4GRDFC4
STEP-UP BOARD MODULE



DIMENSIONS
W 74 cm H 30 cm L 74,5 cm WT 17 kg

4GRDFC5
COMBO TWIST MODULE



DIMENSIONS
W 160 cm H 133 cm L 125 cm WT 64 kg

4GRDFC6
JAMMER MODULE



DIMENSIONS
W 142 cm H 105 cm L 66 cm WT 52 kg

4GRDFC7
ADJUSTABLE CROSSBAR MODULE



DIMENSIONS
W 118,5 cm H 13,5 cm L 11 cm WT 5 kg

4GRDFC9
DIPS MODULE



DIMENSIONS
W 64 cm H 30 cm L 73,5 cm WT 7 kg

1BC101
T-BAR ROW HANDLE




DIMENSIONS
W 24 cm H 12 cm L 23 cm WT 2,5 kg

1BC102
VIKING PRESS HANDLE



DIMENSIONS
W 69 cm H 9,5 cm L 41 cm WT 8 kg



FIXED ELEMENTS

1BC100
POWER JOINT MODULE



DIMENSIONS
W 14 cm H 10,5 cm L 55 cm WT 4,5 kg

4GRDFC32
LATERAL FAT BAR - DFC 184 RIG



DIMENSIONS
W 144 cm H 23,5 cm L 33 cm WT 6,5 kg

4GRDFC47
BAR STORAGE MODULE



DIMENSIONS
W 28 cm H 5 cm L 10 cm WT 1,5 kg

7STDFC044V
LATERAL FAT BAR - DFC 184 ELITE / 136 EDGE



DIMENSIONS
W 123 cm H 26 cm L 33 cm WT 6 kg

4GRDFC30
INCLINED SCALE MODULE



DIMENSIONS
W 122,5 cm H 110 cm L 102,5 cm WT 30 kg

4GRDFC38
BALL TARGET MODULE



DIMENSIONS
W 30 cm H 109,5 cm L 16,5 cm WT 11 kg

4GRIS17
DISK HOLDER



DIMENSIONS
W 7,5 cm H 7,5 cm L 16 cm WT 0,4 kg

4GRDFC50
DFC KIT 3 HOOKS FOR ELASTIC BANDS



DIMENSIONS
W 3 cm H 3 cm L 8 cm WT 1 kg

4GRDFC31
PUNCHING BAG MODULE



DIMENSIONS
W 8 cm H 56,5 cm L 84,5 cm WT 9 kg

4GRDFC42
CLIMBING ROPE MODULE



DIMENSIONS
W 11 cm H 208 cm L 113 cm WT 22,5 kg

7STDFC028V
BATTLE ROPE HOOK MODULE



DIMENSIONS
W 8 cm H 14 cm L 10 cm WT 1 kg

4GRDFC51
LAT/PULLEY MODULE



STANDARD LOAD 100 kg
1:2 RATIO
DIMENSIONS
W 50 cm H 240 cm L 95 cm WT 150 kg

4GRDFC54
DUAL ADJUSTABLE PULLEY FOR DFC



STANDARD LOAD 100 + 100 kg
1:4 RATIO
DIMENSIONS
W 135 cm H 240 cm L 110 cm WT 400 kg

4GRDFC52
DFC DUAL MODULE DX



STANDARD LOAD 100 kg
1:4 RATIO
DIMENSIONS
W 20 cm H 240 cm L 98 cm WT 190 kg

4GRDFC53
DFC DUAL MODULE SX



STANDARD LOAD 100 kg
1:4 RATIO
DIMENSIONS
W 20 cm H 240 cm L 98 cm WT 190 kg

DFC OUTDOOR

DFC OUTDOOR è la proposta Panatta da esterno per l'allenamento funzionale, calistenico e crosstraining. Dodici le strutture proposte di varie forme e dimensioni. Panatta dà inoltre la possibilità di creare una DFC Outdoor completamente personalizzata realizzata in funzione dello spazio a disposizione e della tipologia di allenamento che si desidera fare.

DFC OUTDOOR is the new Panatta solution for outdoor training; functional, calisthenics and cross-training . It is made of twelve structures of different shapes and sizes. Panatta gives also the chance to build-up your personal DFC Outdoor fully customized depending on the available space and the desired type of training.

DFC OUTDOOR est la proposition Panatta pour l'entraînement fonctionnel, Calisthenics et Crosstraining extérieur. 12 structures standard prédéfinies. Panatta donne également la possibilité de créer une DFC Outdoor entièrement personnalisée en fonction de l'espace disponible et du type d'entraînement souhaité.

DFC OUTDOOR OUTDOOR es la propuesta Panatta de exterior para el entrenamiento funcional, calistenico y crosstraining. Doce estructuras propuestas de diversas formas y dimensiones. Panatta, además, ofrece la posibilidad de crear una DFC Outdoor totalmente personalizada, en función del espacio disponible y del tipo de entrenamiento deseado.

DFC OUTDOOR ist die neue Panatta-Lösung für das Training im Freien: Functional, Calisthenics und Cross-Training. Diese Serie besteht aus zwölf Varianten in verschiedenen Formen und Größen. Panatta bietet Ihnen auch die Möglichkeit, Ihren persönlichen DFC Outdoor Trainingsbereich ganz individuell zu gestalten, je nach verfügbarem Platz und der gewünschten Trainingsart.

**12 STRUTTURE
DI COSTRUZIONE PROPRIA
100% MADE IN ITALY,**
ideali per ogni tipologia di spazio outdoor.

**12 STRUCTURES
OF OWN CONSTRUCTION
100% MADE IN ITALY,**
to cater every outdoor space.

12 STRUCTURES
DE PROPRE PRODUCTION
100% MADE IN ITALY
Idéales pour tout type d'espace extérieur.

12 ESTRUCTURAS
DE CONSTRUCCIÓN PROPIA
100% MADE IN ITALY
ideales para cada tipo de espacio.

12 VARIANTEN
AUS EIGENER PRODUKTION
100% MADE IN ITALY.
Ideal für jeden Outdoor Platz.

7 Anni di garanzia sul telaio.
Years - warranty on frame.

*Garantie 7 ans sur les structures.
Garantía de 7 años en el chasis.
Rahmen mit 7 Jahre Garantie.*



- Montanti realizzati con elementi di sezione 80x80x3 mm. I montanti sono tutti chiusi al fine di evitare la corrosione delle parti.
- Possibilità di creare DFC OUTDOOR custom e personalizzate
- Tutti gli elementi di esercizio sono verniciati nero texture per garantire il massimo grip dell'impugnatura.
- Viteria e componenti di montaggio realizzati in acciaio inox.
- Doppio passaggio di verniciatura: primer zincante più finitura.
- Tutte le strutture dovranno essere fissate al suolo o a parete da personale specializzato.

- The king pillars are made with section elements of 80x80x3 mm. These are completely closed to avoid components corrosion.
- Possibility to build-up your customized DFC OUTDOOR
- All the exercise structures are painted in matt black to ensure the best handle grip.
- Stainless steel screws and assembly parts.
- Double coating: galvanising primer and finish.
- Only professional technicians can fix all the structure to the ground or to wall.

- FR
- Montants réalisés avec des éléments de section 80x80x3 mm. Les montants sont tous fermés par soudure, afin d'éviter la corrosion.
 - Possibilité de créer des structures DFC OUTDOOR personnalisées.
 - Tous les éléments en mouvement sont réalisés en couleur nero text (noir mat), car sa texture permet une meilleure prise au niveau des poignées.
 - Visserie et composants de montage réalisés en acier inox.
 - Double traitement: primer base zinc + finition.
 - Toutes les structures DFC Outdoor nécessitent une fixation au sol / au mur, effectuée par du personnel spécialisé.

- ES
- Montantes realizados con elementos de sección 80x80x3 mm. Todos los montantes están cerrados para evitar la corrosión de las piezas.
 - Posibilidad de crear DFC OUTDOOR personalizado.
 - Todos los elementos de ejercicio están pintados negro textura para garantizar el máximo agarre de la empuñadura.
 - Vitería y componentes de montaje realizados en acero inoxidable.
 - Doble paso de pintura: imprimación galvanizante más acabado.
 - Todas las estructuras deberán ser fijadas al suelo o a la pared por personal especializado.

- DE
- Die Pfosten werden aus 80x80x3 mm geschlossenen Profilen hergestellt um die Korrosion der Teile zu vermeiden.
 - Möglichkeit zur Erstellung von kundenspezifischen und personalisierten DFC OUTDOOR Bereichen.
 - Alle Trainingselemente werden matt schwarz lackiert, um die Griffigkeit zu verbessern.
 - Der mitgelieferte Schraubensatz und Anbauteile sind aus Edelstahl.
 - Material: Grundverzinkung und doppelte Endlackierung.
 - Alle Elemente müssen am Boden oder an der Wand vom Fachpersonal befestigt werden.

DFC OUTDOOR
DFC 316 OUTDOOR - SQUARE

1CC001



DFC OUTDOOR
DFC 300 OUTDOOR - CLIMB

1CC002*



INCLUDED ELEMENTS

CODE	DESCRIPTION	Q.TY
4GRCC003	DIPS MODULE - OUTDOOR	1
4GRCC004	STEP-UP BOARD MODULE - OUTDOOR	1
4GRCC007	VERTICAL SCALE MODULE - OUTDOOR	1
7STCC018V	CROSSBAR L.1450 - OUTDOOR	3

TECHNICAL DATA

DIMENSIONS			
W 199 cm	H 256 cm	L 316 cm	WT 180 kg
SURFACE 6,3 sqm	SUGGESTED WORKOUT SURFACE 20 sqm	DELIVERY disassembled	

INCLUDED ELEMENTS

CODE	DESCRIPTION	Q.TY
4GRCC001	BASE COLUMN - OUTDOOR	2
4GRCC009	INCLINED PLANE MODULE - OUTDOOR	1
7STCC018V	CROSSBAR L.1450 - OUTDOOR	2
4GRCC010	CLIMBING COLUMN MODULE - OUTDOOR	2
4GRCC011	CLIMBING CROSSBAR MODULE - OUTDOOR	1

TECHNICAL DATA

DIMENSIONS			
W 170 cm	H 416 cm	L 300 cm	WT 178 kg
SURFACE 5,1 sqm	SUGGESTED WORKOUT SURFACE 18,5 sqm	DELIVERY disassembled	

* ACCESSORIES NOT INCLUDED

DFC OUTDOOR

DFC 125 OUTDOOR - WALL

1CC003*

44 FUNCTIONAL POWER - DFC OUTDOOR



INCLUDED ELEMENTS

CODE	DESCRIPTION	Q.TY
4GRCC006	SQUAT MODULE - OUTDOOR	1
7STCC015V	CROSSBAR L.1000 - OUTDOOR	2
4GRCC012	WALL FIXING KIT - OUTDOOR	2

TECHNICAL DATA

DIMENSIONS			
W 116 cm	H 256 cm	L 125 cm	WT 66 kg
SURFACE 1,5 sqm	SUGGESTED WORKOUT SURFACE 5 sqm	DELIVERY	disassembled

* ACCESSORIES NOT INCLUDED

DFC OUTDOOR

DFC 556 OUTDOOR - POWER

1CC004*




INCLUDED ELEMENTS

CODE	DESCRIPTION	Q,TY
4GRCC003	DIPS MODULE - OUTDOOR	1
4GRCC004	STEP-UP BOARD MODULE - OUTDOOR	1
4GRCC005	PARALLEL BARS MODULE - OUTDOOR	1
4GRCC002	AB BENCH MODULE - OUTDOOR	1
4GRCC006	SQUAT MODULE - OUTDOOR	1
4GRCC009	INCLINED PLANE MODULE - OUTDOOR	1
7STCC018V	CROSSBAR L.1450 - OUTDOOR	4
7STCC015V	CROSSBAR L.1000 - OUTDOOR	1

TECHNICAL DATA

DIMENSIONS			
W 422 cm	H 256 cm	L 556 cm	WT 345 kg
SURFACE 23,5 sqm	SUGGESTED WORKOUT SURFACE 46,5 sqm	DELIVERY	disassembled

* ACCESSORIES NOT INCLUDED



DFC OUTDOOR

DFC 487 OUTDOOR - CROSSBRIDGE

1CC005



INCLUDED ELEMENTS


CODE	DESCRIPTION	Q.TY
4GRCC001	BASE COLUMN MODULE - OUTDOOR	4
4GRCC007	VERTICAL SCALE MODULE - OUTDOOR	1
7STCC016V	SNAKE CROSSBAR L.2320 - OUTDOOR	2
7STCC020V	HORIZONTAL SCALE MODULE L.1450 - OUTDOOR	1
7STCC018V	CROSSBAR L.1450 - OUTDOOR	1
7STCC019V	INCLINED SCALE MODULE - OUTDOOR	1

TECHNICAL DATA

DIMENSIONS

W 216 cm H 305 cm L 487 cm WT 268 kg

SURFACE 10,5 sqm SUGGESTED WORKOUT SURFACE 25 sqm DELIVERY disassembled



DFC OUTDOOR

DFC 553 OUTDOOR - CROSSBAR

1CC006



50

FUNCTIONAL POWER - DFC OUTDOOR



51

FUNCTIONAL POWER - DFC OUTDOOR



INCLUDED ELEMENTS

CODE	DESCRIPTION	Q.TY
4GRCC007	VERTICAL SCALE MODULE - OUTDOOR	1
4GRCC001	BASE COLUMN MODULE - OUTDOOR	4
4GRCC003	DIPS MODULE - OUTDOOR	1
4GRCC004	STEP-UP BOARD MODULE - OUTDOOR	1
4GRCC009	INCLINED PLANE MODULE - OUTDOOR	1
7STCC018V	CROSSBAR L.1450 - OUTDOOR	5
7STCC020V	HORIZONTAL SCALE MODULE L.1450 - OUTDOOR	1
7STCC019V	INCLINED SCALE MODULE - OUTDOOR	1


TECHNICAL DATA

DIMENSIONS

W 376 cm H 305 cm L 553 cm WT 378 kg

SURFACE 21 sqm SUGGESTED WORKOUT SURFACE 43,5 sqm DELIVERY disassembled

* ACCESSORIES NOT INCLUDED



DFC OUTDOOR

DFC 862 OUTDOOR - BRIDGE

1CC007*

52

FUNCTIONAL POWER - DFC OUTDOOR



53

FUNCTIONAL POWER - DFC OUTDOOR



INCLUDED ELEMENTS

CODE	DESCRIPTION	Q.TY
4GRCC005	PARALLEL BARS MODULE - OUTDOOR	1
4GRCC006	SQUAT MODULE - OUTDOOR	1
4GRCC001	BASE COLUMN MODULE - OUTDOOR	2
4GRCC002	AB BENCH MODULE - OUTDOOR	1
4GRCC003	DIPS MODULE - OUTDOOR	1
4GRCC004	STEP-UP BOARD MODULE - OUTDOOR	1
4GRCC009	INCLINED PLANE MODULE - OUTDOOR	1
7STCC018V	CROSSBAR L.1450 - OUTDOOR	5
7STCC015V	CROSSBAR L.1000 - OUTDOOR	1
7STCC017V	HORIZONTAL SCALE MODULE L.2980 - OUTDOOR	1
4GRCC008	BALL TARGET MODULE - OUTDOOR	1


TECHNICAL DATA

DIMENSIONS

W 426 cm H 320 cm L 862 cm WT 442 kg

SURFACE 36,5 sqm SUGGESTED WORKOUT SURFACE 65,5 sqm DELIVERY disassembled

* ACCESSORIES NOT INCLUDED



DFC OUTDOOR

DFC 601 OUTDOOR - POWER SQUARE

1CC008

54

FUNCTIONAL POWER - DFC OUTDOOR



55

FUNCTIONAL POWER - DFC OUTDOOR



INCLUDED ELEMENTS


CODE	DESCRIPTION	Q.TY
4GRCC003	DIPS MODULE - OUTDOOR	1
4GRCC004	STEP-UP BOARD MODULE - OUTDOOR	1
4GRCC002	AB BENCH MODULE - OUTDOOR	1
4GRCC005	PARALLEL BARS MODULE - OUTDOOR	1
4GRCC001	BASE COLUMN MODULE - OUTDOOR	3
4GRCC007	VERTICAL SCALE MODULE - OUTDOOR	1
4GRCC008	BALL TARGET MODULE - OUTDOOR	1
7STCC019V	INCLINED SCALE MODULE - OUTDOOR	1
4GRCC009	INCLINED PLANE MODULE - OUTDOOR	1
7STCC018V	CROSSBAR L.1450 - OUTDOOR	7
7STCC020V	HORIZONTAL SCALE MODULE L.1450 - OUTDOOR	1

TECHNICAL DATA

DIMENSIONS

W 579 cm H 320 cm L 601 cm WT 522 kg

SURFACE 35 sqm SUGGESTED WORKOUT SURFACE 62,5 sqm DELIVERY disassembled



DFC OUTDOOR

DFC 812 OUTDOOR - RING

1CC009*



INCLUDED ELEMENTS

CODE	DESCRIPTION	Q.TY
4GRCC007	VERTICAL SCALE MODULE - OUTDOOR	1
4GRCC001	BASE COLUMN MODULE - OUTDOOR	10
4GRCC005	PARALLEL BARS MODULE - OUTDOOR	1
4GRCC003	DIPS MODULE - OUTDOOR	1
4GRCC004	STEP-UP BOARD MODULE - OUTDOOR	1
4GRCC002	AB BENCH MODULE - OUTDOOR	1
4GRCC006	SQUAT MODULE - OUTDOOR	1
4GRCC008	BALL TARGET MODULE - OUTDOOR	1
7STCC020V	HORIZONTAL SCALE MODULE L.1450 - OUTDOOR	1
7STCC017V	HORIZONTAL SCALE MODULE L.2980 - OUTDOOR	1
4GRCC009	INCLINED PLANE MODULE - OUTDOOR	1

CODE	DESCRIPTION	Q.TY
7STCC019V	INCLINED SCALE MODULE - OUTDOOR	1
7STCC018V	CROSSBAR L.1450 - OUTDOOR	16
7STCC015V	CROSSBAR L.1000 - OUTDOOR	3

* ACCESSORIES NOT INCLUDED

TECHNICAL DATA


DIMENSIONS

W 710 cm H 310 cm L 812 cm WT 809 kg

SURFACE 57,5 sqm

SUGGESTED WORKOUT SURFACE 90 sqm

DELIVERY disassembled



DFC OUTDOOR

DFC 615 OUTDOOR - CORNER

1CC010*



INCLUDED ELEMENTS

CODE	DESCRIPTION	Q.TY
4GRCC001	BASE COLUMN MODULE - OUTDOOR	2
4GRCC009	INCLINED PLANE MODULE - OUTDOOR	1
7STCC016V	SNAKE CROSSBAR L.2320 - OUTDOOR	2
7STCC018V	CROSSBAR L.1450 - OUTDOOR	3
4GRCC010	CLIMBING COLUMN MODULE - OUTDOOR	2
4GRCC011	CLIMBING CROSSBAR MODULE - OUTDOOR	1
4GRCC007	VERTICAL SCALE MODULE - OUTDOOR	1
4GRCC003	DIPS MODULE - OUTDOOR	1
4GRCC004	STEP-UP BOARD MODULE - OUTDOOR	1
7STCC017V	HORIZONTAL SCALE MODULE L.2980 - OUTDOOR	1
4GRCC008	BALL TARGET MODULE - OUTDOOR	1


TECHNICAL DATA

DIMENSIONS

W 526 cm H 416 cm L 615 cm WT 450 kg

SURFACE 32 sqm SUGGESTED WORKOUT SURFACE 59 sqm DELIVERY disassembled

* ACCESSORIES NOT INCLUDED



DFC OUTDOOR

DFC 776 OUTDOOR - ALL-AROUND

1CC011*

60

FUNCTIONAL POWER - DFC OUTDOOR



61

FUNCTIONAL POWER - DFC OUTDOOR



INCLUDED ELEMENTS

CODE	DESCRIPTION	Q.TY
4GRCC001	BASE COLUMN MODULE - OUTDOOR	5
4GRCC007	VERTICAL SCALE MODULE - OUTDOOR	1
4GRCC005	PARALLEL BARS MODULE - OUTDOOR	1
4GRCC010	CLIMBING COLUMN MODULE - OUTDOOR	4
4GRCC011	CLIMBING CROSSBAR MODULE - OUTDOOR	4
7STCC020V	HORIZONTAL SCALE MODULE L.1450 - OUTDOOR	1
7STCC017V	HORIZONTAL SCALE MODULE L.2980 - OUTDOOR	1
7STCC018V	CROSSBAR L.1450 - OUTDOOR	7


TECHNICAL DATA

DIMENSIONS

W 476 cm H 416 cm L 776 cm WT 522 kg

SURFACE 37,5 sqm SUGGESTED WORKOUT SURFACE 66,5 sqm DELIVERY disassembled

* ACCESSORIES NOT INCLUDED



DFC OUTDOOR

DFC 1098 OUTDOOR - ALL-AROUND

1CC012*



INCLUDED ELEMENTS


CODE	DESCRIPTION	Q.TY
4GRCC001	BASE COLUMN MODULE - OUTDOOR	9
4GRCC009	INCLINED PLANE MODULE - OUTDOOR	1
7STCC016V	SNAKE CROSSBAR L.2320 - OUTDOOR	2
7STCC018V	CROSSBAR L.1450 - OUTDOOR	14
4GRCC010	CLIMBING COLUMN MODULE - OUTDOOR	4
4GRCC011	CLIMBING CROSSBAR MODULE - OUTDOOR	2
4GRCC007	VERTICAL SCALE MODULE - OUTDOOR	1
7STCC017V	HORIZONTAL SCALE MODULE L.2980 - OUTDOOR	1
4GRCC006	SQUAT MODULE - OUTDOOR	1
4GRCC002	AB BENCH MODULE - OUTDOOR	1
7STCC015V	CROSSBAR L.1000 - OUTDOOR	4

CODE	DESCRIPTION	Q.TY
4GRCC003	DIPS MODULE - OUTDOOR	1
4GRCC004	STEP-UP BOARD MODULE - OUTDOOR	1
4GRCC005	PARALLEL BARS MODULE - OUTDOOR	1
7STCC020V	HORIZONTAL SCALE MODULE L.1450 - OUTDOOR	1
4GRCC008	BALL TARGET MODULE - OUTDOOR	1
7STCC019V	INCLINED SCALE MODULE - OUTDOOR	1

* ACCESSORIES NOT INCLUDED

TECHNICAL DATA

DIMENSIONS			
W 688 cm	H 416 cm	L 1098 cm	WT 974 kg
SURFACE 76 sqm			
SUGGESTED WORKOUT SURFACE 105 sqm			
DELIVERY disassembled			



DFC OUTDOOR ELEMENTS



4GRCC001
BASE COLUMN - OUTDOOR



DIMENSIONS
W 17 cm H 256 cm L 17 cm WT 20 kg

4GRCC002
AB BENCH MODULE - OUTDOOR



DIMENSIONS
W 41 cm H 256 cm L 198 cm WT 67 kg

4GRCC003
DIPS MODULE - OUTDOOR



DIMENSIONS
W 64 cm H 256 cm L 92 cm WT 37 kg

4GRCC004
STEP-UP BOARD
MODULE - OUTDOOR



DIMENSIONS
W 74 cm H 256 cm L 88 cm WT 52 kg

4GRCC005
PARALLEL BARS
MODULE - OUTDOOR



DIMENSIONS
W 74 cm H 256 cm L 197 cm WT 63 kg

4GRCC006
SQUAT MODULE - OUTDOOR



DIMENSIONS
W 20 cm H 256 cm L 125 cm WT 54 kg

4GRCC007
VERTICAL SCALE
MODULE - OUTDOOR



DIMENSIONS
W 17 cm H 256 cm L 92 cm WT 79 kg

4GRCC008
BALL TARGET MODULE - OUTDOOR



DIMENSIONS
W 13 cm H 90 cm L 30 cm WT 10 kg

4GRCC009
INCLINED PLANE MODULE - OUTDOOR



DIMENSIONS
W 140 cm H 247 cm L 145 cm WT 49 kg

4GRCC010
CLIMBING COLUMN
MODULE - OUTDOOR



DIMENSIONS
W 17 cm H 416 cm L 17 cm WT 34 kg

4GRCC011
CLIMBING CROSSBAR MODULE - OUTDOOR



DIMENSIONS
W 7 cm H 14 cm L 159 cm WT 11 kg

4GRCC012
WALL FIXING KIT - OUTDOOR



DIMENSIONS
W 15 cm H 0,8 cm L 17 cm WT 1,5 kg

7STCC015V
CROSSBAR L. 1000 - OUTDOOR



DIMENSIONS
W 6 cm H 15 cm L 100 cm WT 3 kg

7STCC016V
SNAKE CROSSBAR L. 2320 - OUTDOOR



DIMENSIONS
W 63 cm H 15 cm L 232 cm WT 22 kg

7STCC017V
HORIZONTAL SCALE MODULE L. 2980 - OUTDOOR



DIMENSIONS
W 151 cm H 15 cm L 298 cm WT 52 kg

7STCC018V
CROSSBAR L. 1450 - OUTDOOR



DIMENSIONS
W 6 cm H 15 cm L 145 cm WT 4 kg

7STCC019V
INCLINED SCALE MODULE - OUTDOOR



DIMENSIONS
W 140 cm H 27 cm L 160 cm WT 36 kg


7STCC020V
HORIZONTAL SCALE MODULE L. 1450 - OUTDOOR



DIMENSIONS
W 151 cm H 15 cm L 145 cm WT 28 kg



FIXED ADJUSTMENT SYSTEM



HEIGHT
ADJUSTMENTS



POWERLIFTING 100% MADE IN ITALY.

La proposta Powerlifting Panatta rispetta la tradizione di solidità, robustezza e perfetta biomeccanica andando incontro alle esigenze degli atleti professionisti. Caratteristiche queste fondamentali per assicurare agli utenti di tutti i livelli sportivi la massima sicurezza durante l'allenamento.

POWERLIFTING 100% MADE IN ITALY.

Panatta Powerlifting respects traditional solidity, sturdiness and perfect biomechanics by meeting the needs of professional athletes. Essential features to ensure to athletes of whatever sport level maximum safety when training.



FR · Powerlifting 100% Made in Italy. La proposition Powerlifting Panatta respecte la tradition de solidité, de robustesse et de biomécanique parfaite, répondant aux besoins des athlètes professionnels. Ce sont des caractéristiques fondamentales pour assurer une sécurité maximale aux utilisateurs de tous niveaux.

ES · Powerlifting 100% Made in Italy. La propuesta Powerlifting Panatta respeta la tradición de solidez, robustez y perfecta biomecánica, respondiendo a las exigencias de los atletas profesionales. Características fundamentales para garantizar a los usuarios de todos los niveles deportivos la máxima seguridad durante el entrenamiento.

DE · Powerlifting 100% Made in Italy. Die Panatta Powerlifting Serie vereint extreme Robustheit und perfekte Biomechanik, indem es die Bedürfnisse der professionellen Athleten erfüllt. Dies sind wesentliche Merkmale, um die maximale Sicherheit beim Training für alle Athleten, egal auf welchem Trainingsniveau, zu gewährleisten.

POWERLIFTING POWERLIFTING SQUAT RACK

1PWL101

70

FUNCTIONAL POWER - POWERLIFTING



TECHNICAL DATA

DIMENSIONS

W 215 cm H 120-188 cm L 125 cm WT 160 kg

MAX LOAD 800 kg

OPTIONAL Barbells
4GRPWL1 - Adjustable safety holders for 1PLW101

MAIN FEATURES

- It complies with IPF parameters
- Barbells keepers adjustable in height and inclination with telescopic system
- Frame of 4 mm steel thickness
- Rear lifting levers
- Height adjustable safety supports with telescopic system (optional)

POWERLIFTING POWERLIFTING COMBO SQUAT/BENCH RACK

1PWL102

71

FUNCTIONAL POWER - POWERLIFTING



TECHNICAL DATA

DIMENSIONS

W 215 cm H 120-188 cm L 190 cm WT 260 kg

MAX LOAD 800 kg

OPTIONAL Barbells

MAIN FEATURES

- It complies with IPF parameters
- Barbell keepers adjustable in height and inclination with telescopic system
- Frame of 4 mm steel thickness
- Rear lifting levers
- Height adjustable safety levers with telescopic system
- Bench Press with integrated spotter platform to put on the rack with hooking/release system

POWERLIFTING POWERLIFTING BENCH

1PWL103



72

FUNCTIONAL POWER - POWERLIFTING



TECHNICAL DATA

DIMENSIONS

W 130 cm	H 95-128 cm	L 160 cm	WT 165 kg
----------	-------------	----------	-----------

MAX LOAD	800 kg
----------	--------

OPTIONAL	Barbells
----------	----------

MAIN FEATURES

- It complies with IPF parameters
- Barbells keepers adjustable in height with telescopic system
- Frame of 4 mm steel thickness
- Rear lifting levers for height adjustment
- Height adjustable safety supports with telescopic system

POWERLIFTING POWERLIFTING PLATFORM 2,5x3 m

1PWL301



TECHNICAL DATA

DIMENSIONS

W 300 cm	H 3 cm	L 250 cm	WT 200 kg
----------	--------	----------	-----------

73

FUNCTIONAL POWER - POWERLIFTING



POWERLIFTING OLYMPIC PLATFORM - HALF RACK 3x3 m

1PWL302



TECHNICAL DATA

DIMENSIONS

W 300 cm	H 3 cm	L 300 cm	WT 160 kg
----------	--------	----------	-----------

POWERLIFTING OLYMPIC PLATFORM 3x1 m

1PWL303



TECHNICAL DATA

DIMENSIONS

W 300 cm	H 3 cm	L 100 cm	WT 90 kg
----------	--------	----------	----------

FUNCTIONAL ACCESSORIES



FUNCTIONAL ACCESSORIES POWERED BY PANATTA

CLAMP COLLARS



2CZ1901 Diameter: 50 mm
2CZ1911 Diameter: 25 mm

SUSPENSION TRAINER

2CZ1906



Color: Yellow/Black

COMPETITION BUMPERS



2CZ3005 5 kg BLACK
2CZ3010 10 kg GREEN
2CZ3015 15 kg YELLOW
2CZ3020 20 kg BLUE
2CZ3025 25 kg RED

PANATTA BLACK BUMPERS



2CZ4005 5 kg
2CZ4010 10 kg
2CZ4015 15 kg
2CZ4020 20 kg

MICROLOADS



2CZ10005 0,5 kg
2CZ1001 1,0 kg
2CZ10015 1,5 kg
2CZ1002 2,0 kg

WALL BALL

Color: black



2CZ5004 4 kg
2CZ5006 6 kg
2CZ5008 8 kg
2CZ5010 10 kg

FUNCTIONAL ACCESSORIES

POWERED BY PANATTA

SLAM BALL

Color: black



2CZ6003	3 kg	2CZ6012	12 kg
2CZ6005	5 kg	2CZ6015	15 kg
2CZ6007	7 kg	2CZ6018	18 kg
2CZ6009	9 kg	2CZ6020	20 kg

MED BALL

Color: based on the weight



2CZ7002	2 kg	2CZ7007	7 kg
2CZ7003	3 kg	2CZ7008	8 kg
2CZ7004	4 kg	2CZ7009	9 kg
2CZ7005	5 kg	2CZ7010	10 kg
2CZ7006	6 kg		

BATTLE ROPE

2CZ1905



Color: black
Length: 15 m
Diameter: 38 mm

SKIP ROPE

2CZ1907



Color: black

OLYMPIC STEEL KETTLEBELL

Color: based on the weight



2CZ8008	8 kg	2CZ8024	24 kg
2CZ8012	12 kg	2CZ8028	28 kg
2CZ8016	16 kg	2CZ8032	32 kg
2CZ8020	20 kg		

VINYL KETTLEBELL

Color: based on the weight



2CZ9004	4 kg	2CZ9012	12 kg
2CZ9006	6 kg	2CZ9016	16 kg
2CZ9008	8 kg	2CZ9020	20 kg
2CZ9010	10 kg		

RINGS

2CZ1900



Made in wood

SET LATEX BAND

2CZ1908



N°6 Different types of power bands
 - red: w 1,3 cm / resistance 7-15 kg
 - black: w 2,1 cm / resistance 10-30 kg
 - purple: w 3,2 cm / resistance 15-40 kg
 - green: w 4,5 cm / resistance 23-57 kg
 - blue: w 6,4 cm / resistance 30-80 kg
 - orange: w 10, 2 cm / resistance 40-105 kg

GUN-EX COBRA BASIC KIT 300

2CZ109



N°2	Cobra ropes 5,5 m	N°1	Hip-belt
N°2	Lockable wire carabiner	N°1	Training manual
N°2	Maillon carabiner		
N°1	Anchor strap		

HEXAGONAL DUMBBELLS

Color: Black



2CZ7200025	2 kg	2CZ200275	27,5 kg
2CZ200005	5 kg	2CZ20030	30 kg
2CZ7200075	7 kg	2CZ200325	32,5 kg
2CZ20010	10 kg	2CZ20035	35 kg
2CZ200125	12,5 kg	2CZ200375	37,5 kg
2CZ20015	15 kg	2CZ200400	40 kg
2CZ200175	17,5 kg	2CZ200425	42,5 kg
2CZ20020	20 kg	2CZ200450	45 kg
2CZ200225	22,5 kg	2CZ200475	47,5 kg
2CZ20025	25 kg	2CZ200500	50 kg

PUNCHING BAG

2CZ1909



Color: black
Made in leather

PLYO BOX

2CZ1910



Made in Wood

CLIMBING ROPE

2CZ1904



Length: 5 m
Diameter: 38 mm

FUNCTIONAL FLOOR

78

FUNCTIONAL POWER - FLOOR

PANATTA ha selezionato una pavimentazione professionale indoor ed outdoor per tutte le strutture sportive. Pavimentazione Made in Italy, antitrauma, antishock e destinata a durare nel tempo. Certificata EN-1177.

PANATTA has selected professional flooring for indoor and outdoor and for all sport facilities. Made in Italy, anti-shock and made to last over the time, Certified EN-1177.



FUNCTIONAL FLOOR

ECOGYM TOP INDOOR



2CZC02

W 100 cm L 100 cm H 1 cm

2CZC03

W 100 cm L 100 cm H 2 cm

2CZC04

W 100 cm L 100 cm H 3 cm

2CZC02
DIMENSIONS

W 100 cm
L 100 cm
H 1 cm

Colour black
Without grout line

2CZC03
DIMENSIONS

W 100 cm
L 100 cm
H 2 cm

Colour black
Without grout line

2CZC04
DIMENSIONS

W 100 cm
L 100 cm
H 3 cm

Colour black
Without grout line

79


FUNCTIONAL POWER - FLOOR




ECOGYM OUTDOOR



W 50 cm L 50 cm H 5 cm



W 50 cm
L 50 cm



W 50 cm
L 100 cm

COLORS



black



matt gray



brick-red



matt green



matt blue

2CZC05
DIMENSIONS

W 50 cm
L 50 cm
H 5 cm

Colour black, matt gray, brick-red, matt blue, matt green
With grout line

2CZC06
DIMENSIONS

W 50 cm
L 100 cm
H 5 cm

Colours black, matt gray, brick-red, matt blue, matt green.
With grout line

FR PANATTA a sélectionné des sols professionnels pour intérieurs et extérieurs, adaptés à toutes les installations sportives. Revêtement de sol Made in Italy, anti-traumatismes, anti-chocs et destiné à résister dans le temps. Certifié EN-1177.

ES PANATTA ha seleccionado un suelo profesional interior y exterior para todas las instalaciones deportivas. Pavimentación Made in Italy, antitrauma, antishock y destinado a durar en el tiempo. Certificata EN-1177.

DE PANATTA bietet Ihnen professionelle Bodenbeläge für den Innen- und Außenbereich und alle Einsatzzwecke in Ihrem Studio oder Sportanlage an. Hergestellt in Italien, in bester Qualität und dem Ziel großer Langlebigkeit. Zertifiziert DIN EN 1177.

COLOURS




DFC INDOOR / POWERLIFTING

FRAME COLOURS



STANDARD COLOURS



OPTIONAL COLOURS / 1




OPTIONAL COLOURS / 2



DFC OUTDOOR

FRAME COLOURS

STANDARD COLOURS



OPTIONAL COLOURS / 1



OPTIONAL COLOURS / 2



DFC OUTDOOR colours not available: Glossy Silver, Graphite, White and Only Transparent



POWERLIFTING

PADDING COLOURS



BLACK



RED



CASHMERE



RUBY



SILVER



ORANGE



BROWN



BALTIC

OTHER COLORS AVAILABLES ON DEMAND (optional)



Worldwide Fitness Company

ITALY

Panatta Srl
Via Madonna della Fonte 3/C
62021 Apiro (MC) Italy
Tel./☎ +39 0733 611824
Fax +39 0733 611777
info@panattasport.it

FRANCE

Panatta France S.A.R.L.
30 Rue de l'Industrie
92563 Rueil-Malmaison
Tél. +33 (0) 1 41 39 00 40
Tél. /☎ +33 (0) 672083387
Fax +33 (0) 1 41 29 17 16
infofr@panattasport.it

LOGO / OPTIONAL

FRONT



LOGO ON THE FRONT PART OF THE PADDING

Max dimensions of the front logo (LxH): 14x14 cm

LATERAL



LOGO ON THE LATERAL PART OF THE PADDING.

Max dimensions of the lateral logo (LxH): 20x4 cm

CODE	TEXTURE	FRONT	LATERAL
D	STANDARD	✓	✓



Panatta* reserves the right to modify its products and documentation at any time without prior notice. All Panatta* brand and patents are owned by Panatta s.r.l. in Italy and abroad.
Panatta 2021 © Copyright.
Panatta* si riserva il diritto di modificare i prodotti e la documentazione senza obbligo di preavviso. I marchi ed i brevetti Panatta* sono di proprietà della Panatta s.r.l. in Italia e all'estero.
© Copyright Panatta 2021.

The accessories (dumbbells, discs and barbells) are always placed as decorum therefore not included in the machine.
Gli accessori (dischi, manubri, bilancieri) sono sempre posizionati come decoro e quindi non inclusi nella macchina.

All DFC structures (indoor and outdoor) must be firmly fixed to the ground/wall with suitable fasteners. Fastening will be the responsibility of the customer and Panatta cannot be held responsible for any damage to persons or property caused by the use of these devices. Panatta cannot in any way be held responsible for damage to property or persons resulting from incorrect fixing.
Tutte le strutture DFC (indoor ed outdoor) dovranno essere saldamente fissate a terra/parete con idonei dispositivi di fissaggio. Il fissaggio sarà a completa cura del cliente e l'azienda Panatta non potrà in nessun modo essere chiamata in causa per danni a cose o persone rivenienti dall'erroneo fissaggio.

DPFUN.7000.IT.EN.FR.ES.DE.0221

Graphic design / Rendering 3D: afdesign.it

FOLLOW US



www.panattasport.com



Worldwide Fitness Company